

In accordance with State regulations, the Fishers Island Water Works Corp. routinely monitors your drinking water for numerous parameters. We test your drinking water for coliform bacteria, turbidity, inorganic contaminants, lead and copper, nitrate, volatile organic contaminants, total trihalomethanes and synthetic organic contaminants. Over 135 separate parameters are tested in each of our wells numerous times per year. The table presented on page 3 depicts the quality of your drinking water. It should be noted that many of these parameters are naturally found in all drinking water and do not pose any adverse health effects.

NEW YORK STATE MANDATORY HEALTH ADVISORY

The USEPA established a Lead and Copper Rule that required all public water suppliers to sample and test for lead and copper at the tap. The first testing was required in 1992. All results were excellent indicating that the Water Corp.'s corrosion control treatment program was effective in preventing the leaching of lead and copper from your home's plumbing into your drinking water. The same testing was last conducted in 2018 with the same excellent results. Resampling will be conducted in this year.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. Fishers Island Water Works Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>.

CONTACTS FOR ADDITIONAL INFORMATION

We are pleased to report that our drinking water is safe and meets all Federal and State requirements. If you have any questions about this report or concerning your water utility, please contact the Water Company at (631) 788-7251 or the Suffolk County Department of Health Services at (631) 852-5778. Water Company issues are normally discussed at Fishers Island Utility Co.

The Fishers Island Water Works Corp. monitors for different parameters and contaminants in your drinking water as required by Federal and State laws. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk. For more information on contamination and potential health risks, please contact the USEPA Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to disease-causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by microbial pathogens are available from the Safe Drinking Water Hotline (1-800-426-4791).

Copies of a Supplemental Data Package, which includes the water quality data for each of our supply wells utilized during 2021, are available at the Fishers Island Water Utility Company office or on our website.

We, at the Fishers Island Water Works Corp., work around the clock to provide top quality water to every tap throughout the community. We ask that all our customers help us protect our water supply, which will improve our way of life and our children's future.

WATER CONSERVATION MEASURES

The underground water system of Fishers Island is a limited supply. Saving water will ensure that our future generations will always have a safe and abundant water supply.

In 2021, the Fishers Island Water Works Corp. continued to implement a water conservation program in order to minimize any unnecessary water use. Residents of the Water Corp. can also implement their own water conservation measures such as retrofitting plumbing fixtures with flow restrictors, modifying automatic lawn sprinklers to include rain sensors, repairing leaks in the home, installing water conservation fixtures/appliances and maintaining a daily awareness of water conservation in their personal habits. Besides protecting our precious underground water supply, water conservation will produce a cost savings to the consumer in terms of both water and energy bills (hot water).

The Fishers Island Water Works Corp. conducts over 1,000 water quality tests throughout the year, testing for over 130 different contaminants which have been undetected in our water supply including:

Arsenic	Pentachlorophenol	Bromochloromethane
Cadmium	Hexachlorocyclopentadiene	1,1,1-Trichloroethane
Chromium	bis(2-Ethylhexyl)adipate	Carbon Tetrachloride
Mercury	bis(2-Ethylhexyl)phthalate	1,1-Dichloropropene
Selenium	Hexachlorobenzene	1,2-Dichloroethane
Silver	Benzo(A)Pyrene	Trichloroethene
Nickel	Aldicarb Sulfone	1,2-Dichloropropane
Color	Aldicarb sulfide	Dibromomethane
Turbidity	Aldicarb	Trans-1,3-Dichloropropene
Ammonia	Total Aldicarb	cis-1,3-Dichloropropene
Nitrite	Oxamyl	1,1,2-Trichloroethane
Total Hardness	Methomyl	Tetrachloroethene
Total Alkalinity	3-Hydroxycarbofuran	1,3-Dichloropropane
Total Dissolved Solids	Carbofuran	Chlorobenzene
Detergents (MBAS)	Carbaryl	1,1,1,2-Tetrachloroethane
Free Cyanide	Glyphosate	Bromobenzene
Antimony	Diquat	1,1,2,2-Tetrachloroethane
Beryllium	Endothall	1,2,3-Trichloropropane
Calcium	1,2-Dibromoethane (EDB)	2-Chlorotoluene
Magnesium	1,2-Dibromo-3-Chloropropane	4-Chlorotoluene
Thallium	Dioxin	1,2-Dichlorobenzene
Perchlorate	Chloroacetic Acid	1,3-Dichlorobenzene
Lindane	Bromoacetic Acid	1,4-Dichlorobenzene
Heptachlor	Dichloroacetic Acid	1,2,4-Trichlorobenzene
Aldrin	Trichloroacetic Acid	Hexachlorobutadiene
Heptachlor Epoxide	Dibromoacetic Acid	1,2,3-Trichlorobenzene
Dieldrin	Total Haloacetic Acid	Benzene
Endrin	Chloroform	Toluene
Methoxychlor	Bromodichloromethane	Ethylbenzene
Toxaphene	Dibromochloromethane	M,P-Xylene
Chlordane	Bromoform	O-Xylene
Total PCBs	Total Trihalomethanes	Styrene
Propachlor	Dichlorodifluoromethane	Isopropylbenzene (Cumene)
Alachlor	Chloromethane	N-Propylbenzene
Simazine	Vinyl Chloride	1,3,5-Trimethylbenzene
Atrazine	Bromomethane	Tert-Butylbenzene
Metolachlor	Chloroethane	1,2,4-Trimethylbenzene
Metribuzin	Trichlorofluoromethane	Sec-Butylbenzene
Butachlor	Chlorodifluoromethane	4-Isopropyltoluene (P-Cumene)
2,4-D	1,1-Dichloroethene	N-Butylbenzene
2,4,5-TP (Silvex)	Methylene Chloride	Methyl Tert-Butyl Ether (MTBE)
Dinoseb	Trans-1,2-Dichloroethene	Calcium
Dalapon	1,1-Dichloroethane	1,4-Dioxane
Picloram	cis-1,2-Dichloroethene	Perfluorobutanesulfonic Acid
Dicamba	2,2-Dichloropropane	Perfluoroheptanoic Acid
Color	Chlorate	Perfluorohexanesulfonic Acid
Dichlorodifluoromethane	Dalapon	Perfluorononanoic Acid
Perfluorooctanesulfonic Acid	Perfluorooctanoic Acid	Total Dissolved Solids (TDS)
Zinc	Ammonia	Iron
Manganese		

2021 DRINKING WATER QUALITY REPORT - TABLE OF DETECTED PARAMETERS

Contaminants	Violation (Yes/No)	Date of Sample	Level Detected (Maximum Range)	Unit Measurement	MCLG	Regulatory Limit (MCL or AL)	Likely Source of Contaminant
Inorganic Contaminants							
Copper	No	September 2021	ND - 0.072 0.063 ⁽¹⁾	mg/l	1.3	AL = 1.3	Corrosion of household plumbing systems; Erosion of natural deposits
Lead ⁽²⁾	No	September 2021	ND - 1.2 1.1 ⁽¹⁾	ug/l	0	AL = 15	Corrosion of household plumbing systems; Erosion of natural deposits
Barium	No	01/11/21	0.0072 - 0.0095	mg/l	n/a	MCL = 2	Naturally occurring
Sodium	No	01/11/21	11.5 - 11.7	mg/l	n/a	No MCL ⁽³⁾	Naturally occurring
Chloride	No	01/11/21	16.5 - 19.5	mg/l	n/a	MCL = 250	Naturally occurring
Nitrate	No	01/11/21	0.3 - 0.5	mg/l	10	MCL = 10	Runoff from fertilizer and leaching from septic tanks and sewage
Sulfate	No	01/11/21	7.0 - 7.9	mg/l	n/a	MCL = 250	Naturally occurring
Volatile Organic Contaminants and Disinfection By-Products							
Total Trihalomethanes ⁽⁴⁾	No	08/11/21	8.9 - 25.5	mg/l	0	MCL = 80	Disinfection By-Products
Haloacetic Acids ⁽⁵⁾	No	11/27/21	2.1 - 11.7	mg/l	n/a	MCL = 5	Disinfection By-Products
Radionuclides							
Gross Alpha	No	01/11/21	0.540	pCi/L	n/a	MCL = 15	Naturally occurring
Gross Beta	No	01/11/21	1.94	pCi/L	n/a	MCL = 15	Naturally occurring
Radium 226 & 228 Combined	No	01/11/21	1.054	pCi/L	n/a	MCL = 5 ⁽⁶⁾	Naturally occurring
Unregulated Contaminant Monitoring Rule							
Hexavalent Chromium ⁽⁷⁾	No	08/07/19	0.1 - 0.27	ug/l	n/a	No MCL	Natural deposits
Disinfectants							
Chlorine Residual	No	06/01/21	0.2 - 3.4	mg/l	n/a	MRDL = 4.0	Measure of disinfectant
Physical Characteristics							
pH	No	01/11/21	6.1 - 6.51	pH units	n/a	7.5 - 8.5	Measure of water acidity or alkalinity
Total Alkalinity	No	08/11/21	9.4 - 65.2	mg/l	n/a	No MCL	Naturally occurring
Calcium Hardness	No	01/11/21	12.7 - 14.1	mg/l	n/a	No MCL	Naturally occurring
Total Hardness	No	01/11/21	21.7 - 25.7	mg/l	n/a	No MCL	Naturally occurring
Specific Conductivity	No	01/11/21	115.0 - 125.0	uhmos/cm	None	None	Naturally occurring
Apparent Color	No	01/11/21	ND - 5.0	Units	None	MCL = 15	Naturally occurring
Bacteriologicals							
Total Coliform ⁽⁷⁾	No.	12/06/21	1 positive sample out of 3 monthly samples	Positive or Negative	n/a	MCL = Positive results in more than 5% of the monthly samples	Commonly found in the environment

Definitions:

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Milligrams per liter (mg/l) - Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l) - Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Non-Detects (ND) - Laboratory analysis indicates that the constituent is not present.

pCi/L - pico Curies per Liter is a measure of radioactivity in water.

⁽¹⁾ - During 2021, we collected and analyzed 5 samples for lead and copper. The 90% percentile is presented as the maximum result. The Action Levels for both lead and copper were not exceeded at any site tested. The next round of sampling will be conducted in 2024.

⁽²⁾ - If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. Fishers Island Water Works is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/safewater/lead>.

⁽³⁾ - No MCL has been established for sodium. However, 20 mg/l is a recommended guideline for people on high restricted sodium diets and 270 mg/l for those on moderate sodium diets.

⁽⁴⁾ - Total Trihalomethanes include Chloroform, Bromoform, Bromodichloromethane and Dibromochloromethane.

⁽⁵⁾ - Haloacetic Acids include Dibromoacetic Acid, Trichloroacetic Acid, Monochloroacetic Acid, Monobromoacetic Acid and Dichloroacetic Acid.

⁽⁶⁾ MCL for Radium is for Radium 226 and Radium 228 combined.

⁽⁷⁾ Total coliform bacteria was detected in 1 out of 60 routine compliance samples collected in August 2020 within our distribution system. No other positive samples were detected at any time during the year. All repeat samples were negative for bacteria. Coliforms are bacteria that are naturally present in the environment and are used as an indicator that other potentially harmful bacteria may be present.

SOURCE WATER ASSESSMENT

The NYSDOH has completed a source water assessment for this system, based on available information. Known and possible contamination sources to this drinking water source were evaluated. The state source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how easily contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water, it does not mean that the water delivered to consumers is, or will become, contaminated. (See section "Water Quality" for a list of contaminants that have been detected.) The source water assessments provide resource managers with additional information for protecting source waters into the future.

As mentioned before, our water is derived from three (3) wells. The source water assessment has rated the wells as having a medium susceptibility to pesticides and nitrates and microbial contamination. The elevated susceptibility ratings are due primarily to the various land uses and their related point sources of contamination in the assessment area. The land uses include unsewered commercial, industrial and residential, as well as agricultural land use. While the source water assessment rates our well as being susceptible to microbes, please note that our water is disinfected to ensure that the finished water delivered into your home meets New York State's drinking water standards for microbial contamination.

A copy of the assessment, including a map of the assessment area, can be obtained by contacting the Water Corp..

COST OF WATER

Water usage is billed monthly. Your contract is on a non-transferable basis. Monthly minimum charges are based on meter size and class. Federal and State taxes are billed where applicable. A complete copy of our rate schedule can be obtained at the offices of the Fishers Island Utility Company office building.

Class 1

Meter Size (Inch)	Minimum Charge	Minimum Usage (Gallons)
5/8	\$38.50	3,000
3/4	\$57.80	4,500
1	\$96.20	7,500
1-1/4	\$134.70	10,500
1-1/2	\$192.50	15,000
2	\$308.00	24,000
3	\$615.90	48,000
4	\$962.40	75,000
6	\$1,924.80	150,000

Water usage over the minimum is billed at \$12.80 per thousand gallons.

Class 2

Meter Size (Inch)	Minimum Charge	Minimum Usage (Gallons)
5/8	\$49.40	3,000
3/4	\$74.20	4,500
1	\$123.60	7,500
1-1/4	\$173.10	10,500
1-1/2	\$247.20	15,000
2	\$395.60	24,000
3	\$791.10	48,000
4	\$1,236.10	75,000
6	\$2,472.30	150,000

Water usage over the minimum is billed at \$16.50 per thousand gallons.